EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	19	((pay per view) or "pay per view" or pay$1per$1view) and charg$4 and audit$4 and key adj2 server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/27 11:12
L2	2	"6862354".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/27 11:13
L3	60	"4887296"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/27 11:15
L4	0	(son et "al.") and (re$1encrypting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/27 11:16
L5	1	(son et "al") and (re$1encrypting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/27 11:16
L6	97	(son) and (re$1encrypting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/27 11:16
L7	33	(son) and (re$1encrypting) and movie and (private key) and (remote source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/27 11:17
L8	33	(son) and (re$1encrypting) and movie and (decrypt$4 same (private key)) and (remote source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/27 11:18
L10	19	"Vernam cipher" and stream cipher	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/27 12:23

EAST Search History

L11	8	"Vernam cipher" and cipher stream	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/27 12:27
L12	43	(generat$4 or produc$4) near3 (cipher stream)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/27 12:28
L13	29	(generat$4 or produc$4) near3 (cipher stream) near9 key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/27 13:38
L14	4	"9912310"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/27 13:38
S1	147	380/259.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 07:13
S3	129	S1 and @ad < "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 17:55
S6	6	S3 and "set top box"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 17:47
S10	8	((encrypt$3 or encipher$3 or cipher$3 or scrambl$3) or (reencrypt$3 or reencipher$3 or recipher$3 or rescrambl$3) or ("re encrypt$3" or "re encipher$3" or "re cipher$3" or "re scrambl$3")) with ((second$2 or new) adj2 key) with "set top" and @ad < "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 17:56

EAST Search History

S11	5	((encrypt$3 or encipher$3 or cipher$3 or scrambl$3) or (reencrypt$3 or reencipher$3 or recipher$3 or rescrambl$3) or ("re encrypt$3" or "re encipher$3" or "re cipher$3" or "re scrambl$3")) with ((second$2 or new) adj2 key) with "set top box" and @ad < "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 08:25
S12	8	((encrypt$3 or encipher$3 or cipher$3 or scrambl$3) or (reencrypt$3 or reencipher$3 or recipher$3 or rescrambl$3) or ("re encrypt$3" or "re encipher$3" or "re cipher$3" or "re scrambl$3")) with ((second$2 or new) adj2 key) with "set top" and @ad < "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 08:27
S14	0	((encrypt$3 or encipher$3 or cipher$3 or scrambl$3) or (reencrypt$3 or reencipher$3 or recipher$3 or rescrambl$3) or ("re encrypt$3" or "re encipher$3" or "re cipher$3" or "re scrambl$3")) with ((second$2 or new) adj2 key) with "set top" with (("exclusive or") or "XOR" or "X OR") and @ad < "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 08:29
S17	297	("DES" OR "AES" OR "triple DES" or "triple AES") with (("exclusive or") or "XOR" or "X OR") and @ad < "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 08:44
S18	100	("DES" OR "AES" OR "triple DES" or "triple AES") with (("exclusive or") or "XOR" or "X OR") with (encrypt$3 or encipher$3 or cipher$3 or scrambl$3) and @ad < "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 08:45
S21	20	380/259.ccls. and ((encrypting or enciphering or ciphering or scrambling) adj6 ((encrypted or enciphered or ciphered or scrambled) adj6 (data or text or video or audio or application or program or information)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 07:43
S22	596	"713"/$.ccls. and ((encrypting or enciphering or ciphering or scrambling) adj6 ((encrypted or enciphered or ciphered or scrambled) adj6 (data or text or video or audio or application or program or information)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 08:27

EAST Search History

S23	33	((re$1encrypting or re$1enciphering or re$1ciphering or re$1scrambling) adj6 ((encrypted or enciphered or ciphered or scrambled) adj6 (data or text or video or audio or application or program or information)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 08:51
S24	16	progressive adj (encrypt$3 or encipher$3 or cipher$3 or scrambl$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 08:54
S25	2	"08172817"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 08:54
S26	0	"9215841".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 08:55
S27	3	"9215841"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 09:18
S28	308	double adj (encrypt$3 encipher$3 or cipher$3 or scrambl$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 09:29
S29	139	simultaneous$2 adj (encrypt$3 encipher$3 or cipher$3 or scrambl$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 09:40
S30	2	"20020004898".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 10:49
S31	29	(old near2 (password or passcode)) with (access)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 09:45

EAST Search History

S32	149	(encrypt$3 with (data or content or image or audio or video) with (twice or "two times"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 10:07
S33	2	"20020007343"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 10:09
S36	2	"6636838".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 10:12
S37	3	"6333983".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 10:12
S40	7	x$1or$3 with (encrypt$3 or encipher$3 or cipher$3) with (twice or "two times")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 10:52
S41	7	x$1or$3 with ((encrypt$3 or encipher$3 or cipher$3) with (twice or "two times"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 10:52
S42	7	x$1or$3 with ((encrypt$3 or encipher$3 or cipher$3) with (double ortwice or "two times"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 10:52
S43	14	x$1or$3 with ((encrypt$3 or encipher$3 or cipher$3) with (double or twice or "two times"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 10:52
S44	33	(((transmit$4 or send$3 or provid$3) near2 ((encrypt$3 or cipher$3 or encipher$3 or scrambl$3) near2 key)) near4 separat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 08:17
S45	6	(((deliver$3) near2 ((encrypt$3 or cipher$3 or encipher$3 or scrambl$3) near2 key)) near4 separat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 07:04

S46	0	((((deliver$3) near2 ((encrypt$3 or cipher$3 or encipher$3 or scrambl$3) near2 key)) near4 ("different channel"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 07:05
S47	1	(((deliver$3 or transmit$4 or send$3 or provid$3) near2 ((encrypt$3 or cipher$3 or encipher$3 or scrambl$3) near2 key)) near4 ("different channel"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 07:07
S48	1	(((deliver$3 or transmit$4 or send$3 or provid$3 or distribut$3) near2 ((encrypt$3 or cipher$3 or encipher$3 or scrambl$3) near2 key)) near4 ("different channel"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 08:16
S49	86	(((deliver$3 or transmit$4 or send$3 or provid$3 or distribut$3) near2 ((encrypt$3 or cipher$3 or encipher$3 or scrambl$3) near2 key)) near4 (separat$3 or independent$3 or "different channel"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 07:08
S50	29	(((deliver$3 or transmit$4 or send$3 or provid$3 or distribut$3) near2 ((encrypt$3 or cipher$3 or encipher$3 or scrambl$3) near2 key)) near4 (independent$3 or "different channel"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 07:08
S53	2	"20020106086".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 08:18
S54	1	separat$2 with ((encryption or scrambl$3 or cipher$3) adj key) with ("content delivery")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 12:16
S55	1	(separat$2 or independent$2 or individual$2) with ((encryption or scrambl$3 or cipher$3) adj key) with ("content delivery")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 12:17
S56	10	(separat$2 or independent$2 or individual$2) with ((encryption or scrambl$3 or cipher$3) adj key) with (delivery)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 12:18

S57	81	((transmit$4 or provid$3 or deliver$3) with key with (different near2 (network or channel)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 12:21
S58	127	simultaneously (encrypt$4 or cipher$4 or scrambl$4 or encipher$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/04 08:02
S59	5	parallel data encryption	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/04 08:03
S61	1024	((decrypt$3 or decipher$4 or descrambl$4) near3 (re$1encrypt$3 or re$1scrambl$3 or re$1cipher$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/27 14:36
S62	34	((decrypt$3 or decipher$4 or descrambl$4) near3 (re$1encrypt$3 or re$1scrambl$3 or re$1cipher$)) near4 video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/27 14:37

Google

Web   Images   Video   News   Maps   **more »**

cipher stream generation   **Search** Advanced Search
Preferences

Web   Results **1 - 10** of about **663,000** for cipher stream generation. (0.30 seconds)

ietf draft a **stream cipher** encryption algorithm arcfour.
3.2 **Stream Generation** For either encryption or decryption, the input text is ... 8.3
Change History This is revision 02 of draft-kaukonen-**cipher**-arcfour. ...
www.mozilla.org/projects/security/pki/nss/draft-kaukonen-**cipher**-arcfour-03.txt - 31k -
Cached - Similar pages

[PDF] Sosemanuk, a fast software-oriented **stream cipher**
File Format: PDF/Adobe Acrobat - View as HTML
The Sosemanuk **stream cipher** is a new synchronous **stream cipher** dedicated to
software ... Since Sosemanuk **stream generation** is very fast, the **generation** of n ...
www-rocq.inria.fr/codes/Anne.Canteaut/Publications/sosemanuk.pdf - Similar pages

> **[PDF]** Cryptanalysis of **Stream Cipher** COS (2 , 128) Mode I
> File Format: PDF/Adobe Acrobat - View as HTML
> **stream cipher**. The attack against the COS (2, 128) Mode I is given in Section ...
> introduce the key **stream generation** process. ...
> www-rocq.inria.fr/codes/Eric.Filiol/COS/wubao.pdf - Similar pages

[Botan-devel] Key **generation** for SEAL **stream cipher**
[Botan-devel] Key **generation** for SEAL **stream cipher**. Jack Lloyd lloyd at
randombit.net Mon Oct 10 19:50:27 EDT 2005. Previous message: [Botan-devel]
Key ...
www.randombit.net/pipermail/botan-devel/2005-October/000139.html - 6k -
Cached - Similar pages

> [Botan-devel] Re: Key **generation** for SEAL **stream cipher**
> Previous message: [Botan-devel] Key **generation** for SEAL **stream cipher**; Next
> message: [Botan-devel] Re: Key **generation** for SEAL **stream cipher** ...
> www.randombit.net/pipermail/botan-devel/2005-October/000140.html - 9k -
> Cached - Similar pages
> [More results from www.randombit.net]

Stream-cipher attacks
Gouget wrote: "H. Wu and B. Preneel showed two serious flaws in the **stream cipher**
DECIM. The main serious flaw is in the keystream **generation** mechanism of ...
cr.yp.to/**streamciphers**/attacks.html - 49k - Cached - Similar pages

> **[PDF]** SFINKS: A Synchronous **Stream Cipher** for Restricted Hardware ...
> File Format: PDF/Adobe Acrobat - View as HTML
> key **stream generation** are secure. Vice versa, the MAC algorithm does not lower the
> security of the **stream cipher**. By looking at the MAC, the attacker does ...
> cr.yp.to/**streamciphers**/sfinks/desc.pdf - Similar pages
> [More results from cr.yp.to]

[PDF] PowerPoint Presentation
File Format: PDF/Adobe Acrobat - View as HTML
Comparison of Key **Stream Generation** Speeds for ... "**Stream Cipher** HC-256",
Hongjun Wu, Institute for Infocomm Research,. Singapore ...
ece.gmu.edu/courses/ECE746/project/slides_2006/eSTREAM_slides.pdf -
Similar pages

LEVIATHAN (**cipher**) - Wikipedia, the free encyclopedia
LEVIATHAN is a **stream cipher** submitted to NESSIE by Scott Fluhrer and David ...
efficient by LEVIATHAN's unique tree structure based **stream generation**. ...
en.wikipedia.org/wiki/LEVIATHAN_(**cipher**) - 22k - Cached - Similar pages

draft-kaukonen-**cipher**-arcfour-01 - A **Stream Cipher** Encryption ...
3.2 **Stream Generation** For either encryption or decryption, ... Thayer [Page 8]
Internet Draft An Encryption Algorithm July 1997 **Cipher** Text: 0x35, 0x81, ...
tools.ietf.org/html/draft-kaukonen-**cipher**-arcfour-01 - 35k - Cached - Similar pages

Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

Download Google Pack: free essential software for your PC

| cipher stream generation | | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2007 Google

IEEE *Xplore*®
RELEASE 2.3

Key: IEEE JNL = IEEE Journal or Magazine, IEE JNL = IEE Journal or Magazine, IEEE CNF = IEEE Conference, II
CNF = IEE Conference, IEEE STD = IEEE Standard

1. **On the use of QOF functions with RC3 in Walsh code limited base station deployments**
   Aydin, L.; Hamdy, W.;
   Vehicular Technology Conference, 2003. VTC 2003-Spring. The 57th IEEE Semiannual
   Volume 4, 22-25 April 2003 Page(s):2192 - 2195 vol.4
   IEEE CNF

2. **A massively parallel RC4 key search engine**
   Tsoi, K.H.; Lee, K.H.; Leong, P.H.W.;
   Field-Programmable Custom Computing Machines, 2002. Proceedings. 10th Annual IEEE Symposium on
   22-24 April 2002 Page(s):13 - 21
   IEEE CNF

3. **A CPLD-based RC4 cracking system**
   Kundarewich, P.D.; Wilton, S.J.E.; Hu, A.J.;
   Electrical and Computer Engineering, 1999 IEEE Canadian Conference on
   Volume 1, 9-12 May 1999 Page(s):397 - 402 vol.1
   IEEE CNF

4. **The effectiveness of brute force attacks on RC4**
   Couture, N.; Kent, K.B.;
   Communication Networks and Services Research, 2004. Proceedings. Second Annual Conference on
   19-21 May 2004 Page(s):333 - 336
   IEEE CNF

5. **Analysis of energy consumption of RC4 and AES algorithms in wireless LANs**
   Prasithsangaree, P.; Krishnamurthy, P.;
   Global Telecommunications Conference, 2003. GLOBECOM '03. IEEE
   Volume 3, 1-5 Dec. 2003 Page(s):1445 - 1449 vol.3
   IEEE CNF

6. **On the forward link capacity of a cdma2000-1X system with transmit diversity**
   Chheda, A.;
   Vehicular Technology Conference, 2000. IEEE VTS-Fall VTC 2000. 52nd
   Volume 2, 24-28 Sept. 2000 Page(s):618 - 623 vol.2
   IEEE CNF

7. **Pseudo-Random Number Generator RC4 Period Improvement**
   Chefranov, A.G.; Mazurova, T.A.;
   Automation, Quality and Testing, Robotics, 2006 IEEE International Conference on
   Volume 2, May 2006 Page(s):38 - 41
   IEEE CNF

8. **Linear models for a time-variant permutation generator**
   Golic, J.D.;
   Information Theory, IEEE Transactions on
   Volume 45, Issue 7, Nov. 1999 Page(s):2374 - 2382
   IEEE JNL

9. **Design of transport triggered architecture processors for wireless encryption**
    Hamalainen, P.; Heikkinen, J.; Hannikainen, M.; Hamalainen, T.D.;
    Digital System Design, 2005. Proceedings. 8th Euromicro Conference on
    30 Aug.-3 Sept. 2005 Page(s):144 - 152
    IEEE CNF

10. **Hardware implementation of the RC4 stream cipher**
    Kitsos, P.; Kostopoulos, G.; Sklavos, N.; Koufopavlou, O.;
    Circuits and Systems, 2003. MWSCAS '03. Proceedings of the 46th IEEE International Midwest Symposium on
    Volume 3, 27-30 Dec. 2003 Page(s):1363 - 1366 Vol. 3
    IEEE CNF

11. **Enhancing RC4 algorithm for WEP protocol using fake character insertions and compression technique (FCICT)**
    Chandran, N.; Bhavana, K.R.;
    Wireless and Optical Communications Networks, 2005. WOCN 2005. Second IFIP International Conference on
    6-8 March 2005 Page(s):80 - 83
    IEEE CNF

12. **Enhancing the AvrX kernel with efficient secure communication using software thread integration**
    Ganesan, P.; Dean, A.G.;
    Real-Time and Embedded Technology and Applications Symposium, 2004. Proceedings. RTAS 2004. 10th IEEE
    25-28 May 2004 Page(s):265 - 274
    IEEE CNF

13. **A multipath ad hoc routing approach to combat wireless link insecurity**
    Lee, C.K.-L.; Xiao-Hui Lin; Yu-Kwong Kwok;
    Communications, 2003. ICC '03. IEEE International Conference on
    Volume 1, 11-15 May 2003 Page(s):448 - 452 vol.1
    IEEE CNF

14. **Improved cascade stream ciphers using feedback**
    Lu Xiao; Tavares, S.; Youssef, A.; Guang Gong;
    Electrical and Computer Engineering, 2005. Canadian Conference on
    1-4 May 2005 Page(s):104 - 108
    IEEE CNF

15. **Wireless security & privacy**
    Borsc, M.; Shinde, H.;
    Personal Wireless Communications, 2005. ICPWC 2005. 2005 IEEE International Conference on
    23-25 Jan. 2005 Page(s):424 - 428
    IEEE CNF

16. **Comparison of the hardware architectures and FPGA implementations of stream ciphers**
    Galanis, M.D.; Kitsos, P.; Kostopoulos, G.; Sklavos, N.; Koufopavlou, O.; Goutis, C.E.;
    Electronics, Circuits and Systems, 2004. ICECS 2004. Proceedings of the 2004 11th IEEE International Conference on
    13-15 Dec. 2004 Page(s):571 - 574
    IEEE CNF

17. **Reconfigurable hardware acceleration of WLAN security**
    Smyth, N.; McLoone, M.; McCanny, J.V.;
    Signal Processing Systems, 2004. SIPS 2004. IEEE Workshop on
    2004 Page(s):194 - 199
    IEEE CNF

18. **Data dependent keying for wireless networks**
    Karir, M.; Baras, J.S.;

Vehicular Technology Conference, 2003. VTC 2003-Fall. 2003 IEEE 58th
Volume 3, 6-9 Oct. 2003 Page(s):2098 - 2102 Vol.3
IEEE CNF

19. **FPGA-based SIMD processor**
Li, S.Y.C.; Cheuk, G.C.K.; Lee, K.H.; Leong, P.H.W.;
Field-Programmable Custom Computing Machines, 2003. FCCM 2003. 11th Annual IEEE Symposium on
9-11 April 2003 Page(s):267 - 268
IEEE CNF

20. **The performance measurement of cryptographic primitives on palm devices**
Wong, D.S.; Fuentes, H.H.; Chan, A.H.;
Computer Security Applications Conference, 2001. ACSAC 2001. Proceedings 17th Annual
10-14 Dec. 2001 Page(s):92 - 101
IEEE CNF

21. **CADIC: computer-aided design on internet with cryptosystem**
Dong-Eun Lee; Seung-Il Kang; Jae-Hong Song; Juho Kim;
Systems, Man, and Cybernetics, 1998. 1998 IEEE International Conference on
Volume 3, 11-14 Oct. 1998 Page(s):2670 - 2674 vol.3
IEEE CNF

22. **A note on the fragility of the "Michael" message integrity code**
Wool, A.;
Wireless Communications, IEEE Transactions on
Volume 3, Issue 5, Sept. 2004 Page(s):1459 - 1462
IEEE JNL

23. **A Cost Effective Symmetric Key Cryptographic Algorithm for Small Amount of Data**
Mohammad Zakir Hossain Sarker; Md. Shafiul Parvez;
9th International Multitopic Conference, IEEE INMIC 2005
Dec. 2005 Page(s):1 - 6
IEEE CNF

24. **Supporting Secure Authentication and Privacy in Wireless Computing**
Seong-Pyo Hong; Joon Lee;
Hybrid Information Technology, 2006. ICHIT'06. Vol 2. International Conference on
Volume 2, Nov. 2006 Page(s):594 - 599
IEEE CNF

25. **AES as stream cipher on a small FPGA**
Good, T.; Benaissa, M.;
Circuits and Systems, 2006. ISCAS 2006. Proceedings. 2006 IEEE International Symposium on
21-24 May 2006 Page(s):4 pp.
IEEE CNF